


Oil Pattern Distance	42	Reverse Brush Drop	33	Oil Per Board	50 uL
Forward Oil Total	18.7 mL	Reverse Oil Total	7.15 mL	Volume Oil Total	25.85 mL
Tank Configuration	A Only	Tank A Conditioner	FIRE	Tank B Conditioner	TERRAIN

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	5	14	A	185	0.0	7.9	7.9	9250
2	6L	6R	1	14	A	29	7.9	9.8	1.9	1450
3	9L	9R	2	14	A	46	9.8	13.7	3.9	2300
4	9L	9R	2	18	A	46	13.7	18.8	5.1	2300
5	12L	12R	4	18	A	68	18.8	29.0	10.2	3400
6	2L	2R	0	18	A	0	29.0	34.0	5.0	0
7	2L	2R	0	22	A	0	34.0	42.0	8.0	0

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	A	0	42.0	21.0	-21.0	0
2	12L	12R	1	18	A	17	21.0	18.5	-2.5	850
3	9L	9R	1	18	A	23	18.5	16.0	-2.5	1150
4	6L	6R	1	18	A	29	16.0	13.5	-2.5	1450
5	2L	2R	2	18	A	74	13.5	8.4	-5.1	3700
6	2L	2R	0	14	A	0	8.4	0.0	-8.4	0

Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.44	1.36	1	1	1.36	2.44

