

Oil Pattern Distance	40	Reverse Brush Drop	38	Oil Per Board	50 ul
Forward Oil Total	12.75 mL	Reverse Oil Total	13.7 mL	Volume Oil Total	26.45 mL
Tank Configuration	A Only	Tank A Conditioner	FIRE	Tank B Conditioner	TERRAIN

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	18	A	148	0.0	7.6	7.6	7400
2	7L	7R	1	18	A	27	7.6	10.1	2.5	1350
3	9L	9R	2	18	A	46	10.1	15.2	5.1	2300
4	12L	12R	2	18	A	34	15.2	20.3	5.1	1700
5	2L	2R	0	22	A	0	20.3	26.0	5.7	0
6	2L	2R	0	26	A	0	26.0	40.0	14.0	0

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	A	0	40.0	30.0	-10.0	0
2	14L	14R	1	22	A	13	30.0	26.9	-3.1	650
3	12L	12R	1	18	A	17	26.9	24.4	-2.5	850
4	10L	10R	2	18	A	42	24.4	19.3	-5.1	2100
5	8L	8R	1	18	A	25	19.3	16.8	-2.5	1250
6	6L	6R	1	14	A	29	16.8	14.9	-1.9	1450
7	2L	2R	4	14	A	148	14.9	7.0	-7.9	7400
8	2L	2R	0	14	A	0	7.0	0.0	-7.0	0

Cleaner Ratio Main Mix                      NA              Forward  
 Cleaner Ratio Back End Mix                NA              Reverse  
 Cleaner Ratio Back End Distance          NA              Combined  
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.21	1.32	1.01	1.01	1.32	2.21

